

AD-A074 811

ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GR--ETC F/G 6/6
TOPICAL HAZARD EVALUATION PROGRAM OF CANDIDATE INSECT REPELLENT--ETC(U)
SEP 79 A W SINGER
USAEEHA-75-51-0893-79


UNCLASSIFIED

1 OF 1
AD
A074811



NL

END
DATE
FILED
11-79
DDC



ADA074811



A
E
H
A

DDC FILE COPY

79 10 10 013

7
②
B5

LEVEL DT

UNITED STATES ARMY
ENVIRONMENTAL HYGIENE
AGENCY

ABERDEEN PROVING GROUND, MD 21010

TOPICAL HAZARD EVALUATION PROGRAM
OF CANDIDATE INSECT REPELLENT AI3-36424
US DEPARTMENT OF AGRICULTURE PROPRIETARY COMPOUND
STUDY NO. 75-51-0893-79
MAY 1976 - JUNE 1979



Approved for public release; distribution unlimited.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

DD FORM 1473 EDITION OF 1 NOV 68 IS OBSOLETE
1 JAN 73

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)



DEPARTMENT OF THE ARMY
U. S. ARMY ENVIRONMENTAL HYGIENE AGENCY
ABERDEEN PROVING GROUND, MARYLAND 21010

CPT Singer/cf/AUTOVON
584-3980

12 SEP 1979

HSE-LT-T/WP

SUBJECT: Topical Hazard Evaluation Program of Candidate Insect Repellent
AI3-36424, US Department of Agriculture Proprietary Compound, Study
No. 75-51-0893-79, May 1976 - June 1979

Executive Secretary
Armed Forces Pest Control Board
Forest Glen Section, WRAMC
Washington, DC 20012

A summary of the pertinent findings and recommendations of the inclosed report follows:

A preliminary hazard evaluation of AI3-36424 was performed by means of laboratory animal studies using rats, rabbits and guinea pigs. The technical grade compound did not cause any primary or photoirritation in rabbits, or any eye irritation. It did not sensitize guinea pigs or prove to be an acute ingestion hazard. It was recommended that AI3-36424, USDA Proprietary Compound, be approved for further testing as a candidate insect repellent.

FOR THE COMMANDER:

BRENDAN E. JOYCE, Ph.D.
LTC(P), MSC
Director, Laboratory Services

1 Incl

as (5 cy)

CF:

HQDA (DASG-PSP)
Cdr, HSC (HSPA-P)
Dir, Advisory Ctr on TOX, NRC
Supt, AHS (HSA-IPM)
USDA, ARS (Dr. Terrence McGovern)
USDA, ARS-Southern Region

Accession For	
NTIS GRA&I	<input type="checkbox"/>
DDC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	<hr/>
By _____	
Distribution/ _____	
Availability Codes	
Dist	Availand/or special



DEPARTMENT OF THE ARMY
U. S. ARMY ENVIRONMENTAL HYGIENE AGENCY
ABERDEEN PROVING GROUND, MARYLAND 21010

HSE-LT-T/WP

TOPICAL HAZARD EVALUATION PROGRAM
OF CANDIDATE INSECT REPELLENT AI3-36424
US DEPARTMENT OF AGRICULTURE PROPRIETARY COMPOUND
STUDY NO. 75-51-0893-79
MAY 1976 - JUNE 1979

1. AUTHORITY.

a. Letter, US Department of Agriculture - Agricultural Research Service, Southern Region, Insects Affecting Man Research Laboratory, Gainesville, Florida, 5 May 1976.

b. Memorandum of Understanding between the Department of the Army, Office of The Surgeon General; the US Army Health Services Command; the US Army Environmental Hygiene Agency; the Armed Forces Pest Control Board, and the US Department of Agriculture, effective 1970 with amendment 1, effective August 1974.

2. REFERENCE. Toxicology Division Procedural Guide, USAEHA, 1972, revised 1976.

3. PURPOSE. The purpose of this study is to provide guidance for further entomological testing of the candidate insect repellent AI3-36424.

4. SUMMARY OF FINDINGS. A hazard evaluation of the candidate repellent AI3-36424, USDA Proprietary Compound, was conducted by this Agency using New Zealand White rabbits for skin and eye studies, Hartley guinea pigs for a skin sensitization study and Sprague-Dawley rats for determination of oral toxicity. A tabular presentation of animal toxicity data developed in this Agency follows:^{*†}

* In conducting the studies described in this report, the investigators adhered to the "Guide for the Care and Use of Laboratory Animals," US Department of Health, Education, and Welfare Publication No. (NIH) 74-23, revised in 1972 and 1978.

† The experiments reported herein were performed in animal facilities, fully accredited by the American Association for the Accreditation of Laboratory Animal Care.

Approved for public release; distribution unlimited.

Study No. 75-51-0893-79, May 76 - Jun 79

TABULAR PRESENTATION OF DATA

Test	Results	Interpretation
<u>SKIN IRRITATION STUDIES</u>		
<u>Rabbits</u>		
Single 24-hour application to intact and abraded skin of New Zealand White rabbits.	Compound AI3-36424 did not cause irritation of the intact skin or to the skin surrounding an abrasion.	USAEHA Category I (ref Appendix).
0.5 ml technical grade compound applied to each of six rabbits.		
<u>EYE IRRITATION STUDIES</u>		
<u>Rabbits</u>		
Single 24-hour application of 0.1 ml technical grade compound to one eye of each of six New Zealand White rabbits.	Compound AI3-36424 did not cause irritation to corneal or conjunctival tissues.	USAEHA Category A (ref Appendix).
<u>APPROXIMATE LETHAL DOSE (ALD)</u>		
<u>Oral</u>		
Rats (male) - no diluent	ALD = 2200 mg/kg	Presents little lethal hazard from accidental ingestion.

Test	Results	Interpretation
<u>PHOTOCHEMICAL SKIN IRRITATION STUDIES</u>		
<u>Rabbits</u>		
A single 0.05 ml application of a 25 percent (w/v) solution of the compound and a 10 percent (w/v) oil of Bergamot solution (positive control) in 95 percent ethyl alcohol were applied to the intact skin of six rabbits. Five minutes after application, the rabbits were exposed to UV light (365 nm) for 30 minutes at a distance of 10-15 cm.	A 25 percent solution of AI3-36424 in ethanol did not cause a photochemical irritation reaction under test conditions.	Compound AI3-36424 did not cause a photochemical irritation reaction under test conditions and is not expected to cause a photochemical irritation in humans.
<u>Control</u>		
Following UV exposures of the rabbits, 0.05 ml of test compound, positive control and diluent were applied to additional skin areas to serve as unirradiated control sites. Application areas were checked for skin irritation at 24, 48 and 72 hours.		

Study No. 75-51-0893-79, May 76 - Jun 79


Test	Results	Interpretation
<u>SENSITIZATION STUDIES</u>		
<u>Guinea Pigs (Male)</u>		
Intradermal injections of 0.1 ml of a 0.1 percent suspension (w/v) of AI3-36424 or of dinitrochlorobenzene (DNCB)* in a mixture containing 1 volume of propylene glycol and 29 volumes of saline.		
Ten test guinea pigs were given ten sensitizing doses over a 3 week period. After 2 weeks' rest, they were challenged with ID injections of test compound.	Challenge dose of AI3-36424 did not produce a sensitization reaction.	Compound AI3-36424 did not produce a sensitization reaction under test conditions and is not expected to produce a sensitization reaction in man.
Ten positive control guinea pigs were sensitized over 3 weeks to DNCB. After 2 weeks' rest, they were challenged with ID injections of DNCB.	Challenge dose of DNCB in positive control guinea pigs produced a marked sensitization reaction in 10 out of 10 guinea pigs.	DNCB produced a marked reaction, indicating the guinea pigs respond to sensitizing agents.

* A known skin sensitizer.

Study No. 75-51-0893-79, May 76 - Jun 79


5. CONCLUSION. Technical grade compound AI3-36424 did not cause primary or photoirritation to the skin of rabbits, and caused no eye irritation. It did not sensitize guinea pigs, or prove to be an acute ingestion hazard.

6. RECOMMENDATION. Under the provisions of the Memorandum of Understanding (paragraph 1b), it is recommended that AI3-36424, USDA Proprietary Compound, be approved for further testing as a candidate insect repellent.



ALLEN W. SINGER
CPT, VC
Laboratory Veterinary Officer
Toxicology Division

APPROVED:



ARTHUR H. McCRESH, Ph.D.
Chief, Toxicology Division

TOPICAL HAZARD EVALUATION PROGRAM
DEFINITIONS OF CATEGORIES OF COMPOUNDS BEING
CONSIDERED FOR ACUTE SKIN APPLICATION

CATEGORY I - Compounds producing no primary irritation of the intact skin or no greater than mild primary irritation of the skin surrounding an abrasion. (INTERPRETATION: No restriction for acute application to the human skin.)

CATEGORY II - Compounds producing mild primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should be used only on human skin found by examination to have no abrasions or may be used as a clothing impregnant.)

CATEGORY III - Compounds producing moderate primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should not be used directly on the skin without a prophetic patch test having been conducted on humans to determine irritation potential to human skin. May be used without patch testing, with extreme caution, as clothing impregnants. Compound should be resubmitted in the form and at the intended use concentration so that its irritation potential can be reexamined using other test techniques on animals.)

CATEGORY IV - Compounds producing moderate to severe primary irritation of the intact skin and of the skin surrounding an abrasion and, in addition, producing necrosis, vesiculation, and/or eschars. (INTERPRETATION: Should be resubmitted for testing in the form and at the intended use concentration. Upon resubmission, its irritation potential will be reexamined using other test techniques on animals, prior to possible prophetic patch testing in humans, at concentrations which have been shown not to produce primary irritation in animals.)

CATEGORY V - Compounds impossible to classify because of staining of the skin or other masking effects owing to physical properties of the compound. (INTERPRETATION: Not suitable for use on humans.)

EYE CATEGORIES:

A. Compounds noninjurious to the eye. INTERPRETATION: Irritation of human eyes is not expected if the compound should accidentally get into the eyes, provided it is washed out as soon as possible.

B. Compounds producing mild injury to the cornea. INTERPRETATION: Should be used with caution around the eyes.

C. Compounds producing mild injury to the cornea, and in addition some injury to the conjunctiva. INTERPRETATION: Should be used with caution around the eyes and mucosa.

D. Compounds producing moderate injury to the cornea. INTERPRETATION: Should be used with extreme caution around the eyes.

E. Compounds producing moderate injury to the cornea, and in addition producing some injury to the conjunctiva. INTERPRETATION: Should be used with extreme caution around the eyes and mucosa.

F. Compounds producing severe injury to the cornea and to the conjunctiva. INTERPRETATION: Should be used with extreme caution. It is recommended that use be restricted to areas other than the face.